UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/705,794	11/07/2003	Toru Hirai		4793
	7590 06/23/200 VINTHROP SHAW PI	EXAMINER		
P.O BOX 10500			BRINEY III, WALTER F	
McLean, VA 22102			ART UNIT	PAPER NUMBER
			2615	
			MAIL DATE	DELIVERY MODE
			06/23/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Supplemental Notice of Allowability

Application No.	Applicant(s)	
10/705,794	HIRAI ET AL.	
Examiner	Art Unit	
WALTER F. BRINEY III	2615	

,	Examine	Artonic				
	WALTER F. BRINEY III	2615				
The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication IGHTS. This application is subject to	olication. If not include will be mailed in due	ed course. THIS			
1. X This communication is responsive to the after final amendr	ment filed 10 April 2007.					
2. 🔀 The allowed claim(s) is/are <u>11-15,21,53-60,63-66 and 69-7</u>	<u>71</u> .					
 3. Acknowledgment is made of a claim for foreign priority ur a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE"	e been received. e been received in Application No cuments have been received in this r	national stage applica				
noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the rec	_f ullerilerius			
 A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give 			OTICE OF			
 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 						
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. ☐ Notice of Informal Pager No./Mail Dat Paper No./Mail Dat 7. ☑ Examiner's Amendn 8. ☐ Examiner's Stateme 9. ☐ Other //Walter F. Briney III// Examiner, Art Unit 2615	(PTO-413), e nent/Comment	owance			

Application/Control Number: 10/705,794 Page 2

Art Unit: 2615

5

10

20

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Roger Wise, Reg. No. 31,204, on 13 June 2008.

The application has been amended as follows:

- On page 3 of the Specification filed 07 November 2003, delete the first two lines of paragraph [0004] (the bracketed lines).
- On page 17 of the Specification filed 07 November 2003, delete the first two lines of paragraph [0011] (the bracketed lines).
- On page 50 of the Specification filed 07 November 2003, delete the first two lines of paragraph [0027] (the bracketed lines).
- On page 65 of the Specification filed 07 November 2003, delete the first two lines of paragraph [0037] (the bracketed lines).
 - On page 79 of the Specification filed 07 November 2003, delete the first two lines of paragraph [0047] (the bracketed lines).
 - On page 94 of the Specification filed 07 November 2003, delete the first two lines of paragraph [0057] (the bracketed lines).
 - On page 100 of the Specification filed 07 November 2003, delete the first two lines of paragraph [0060] (the bracketed lines).

Art Unit: 2615

5

10

15

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to WALTER F. BRINEY III whose telephone number is (571)272-7513. The examiner can normally be reached on M-F 8am - 4:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Suhan Ni can be reached on (571) 272-7505. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Walter F. Briney III/ Examiner Art Unit 2615

6/25/08